

## Окно в большой мир


Серия моноблоков MSI Modern – это не только функциональность, ориентированная на потребности пользователей, но и безупречный дизайн, отражающий мастерство разработчиков и следование модным тенденциям. Такое устройство будет не только полезным инструментом, но и стильным дополнением к вашему образу жизни.



Picture and logos

## SELLING POINTS

- Windows 11 Домашняя - MSI рекомендует Windows 11 Pro для бизнеса.
  - 23.8" дисплей IPS-класса со светодиодной подсветкой (1920 x 1080 FHD)
  - Процессор Intel® Alder Lake и память DDR4
  - Встроенная веб-камера с разрешением Full HD с поддержкой Windows Hello
  - Технологии MSI Anti-Flicker и уменьшение интенсивности синего света Less Blue Light для защиты глаз пользователя
  - Гибкая настройка положения экрана
  - Легкий апгрейд: возможность быстрой замены 2,5-дюймового накопителя
  - Периферийные интерфейсы USB 3.2 Gen2 Type-C и USB 3.2 Gen2 Type-A – быстрая передача данных и ускоренная подзарядка мобильных гаджетов
  - Система охлаждения Silent PRO Cooling серверного класса для бесшумной и стабильной работы устройства
- \*Время обновления может варьироваться в зависимости от устройства. Доступность функций и приложений зависит от региона. Некоторые функции требуют специального оборудования (см. здесь <https://www.microsoft.com/en-us/windows/windows-11-specifications>).
- DataSheet: Общие Характеристики серии Modern AM242P 12M (pdf)



1. 2x USB3.2 Gen 2 Type C
2. 2x USB3.2 Gen 2 Type A
3. 1x Mic-in/Headphone-out combo
4. 1x 2.5" HDD/SSD
5. 5-поз. навигационный модуль
6. 1x DC-in
7. 1x слот замка Кенсингтона
8. 1x HDMI™ in
9. 1x HDMI™ out
10. 2x USB 2.0 Type A
11. 1x RJ45 Ethernet
12. 1x съемная шторка веб-камеры

**SPECIFICATION**

Operating Systems	Operating Systems	Windows 11 Pro
Model	Part No	9S6-AE0711-433
	MKT Name	Modern AM242P 12M
	MKT Spec	Modern AM242P 12M-090RU
	Color	ID1/Black-Black-Black
Display	Screen Size	23.8" (60cm)
	Active Display Area (mm)	527.04mm(H) x 296.46mm(V)
	Curvature	Flat
	Panel Type	IPS
	Resolution	1920x1080 (FHD)
	Pixel pitch	0.2745(H)x0.2745(V)
	Brightness (nits)	250
	Contrast Ratio	1000:1
	Signal Frequency	N/A
	Response Time (GTG)	14 ms
	View Angles	178°(H)/178°(V)
	Surface Treatment	Anti-Glare
	Touch Screen	Non-touch
Display Colors	16.7M	
Input Device	WebCam	internal webcam
I/O Ports	Lock type	Kensington
Processor	CPU Number	Intel Core i5-1240P
	CPU Clock	1.7GHz
	CPU Cores	12
	TDP	28W
	Cache	12 MB Intel® Smart Cache
Chipset	Threads	16
	Chipsets	SoC
Memory	Memory Size	16GB(8GB*2)
	Memory Type	DDR4 SDRAM
	Memory Speed	1600(3200)MHz
	Module Type	SO-DIMM
	слотов памяти (Всего/Свободных)	2/0
Discrete Graphics	Max Capacity	Max 64GB
	GPU1 VRAM Size	N/A
Discrete Graphics	GPU1 VRAM Type	N/A
	SSD Size	512GB
Storage	HDD1 Size	N/A
	SSD Config	512GB*1
	SSD Interface	PCIe GEN3x4
	SSD Form Factor	M.2-2280 M-KEY
	M.2 slots (Total/Free)	1/0
	HDD1 RPM	N/A
	HDD1 Form Factor	N/A
	HDD1 Interface	N/A
	отсеков для приводов 3.5" (Всего/Свободных)	0/
	отсеков для приводов 2.5" (Всего/Свободных)	1/1
	ODD(Type)	N/A
	ODD Height	N/A
	ODD Type	N/A
Communications	LAN	Realtek RTL8111H
	WLAN	INTEL/3168.NGWG
	WLAN Version	802.11ac 1x1+BT
	BT Version	4.2
Audio	Audio Chipset	Realtek ALC256
	Audio Type	2.1 Channel HD Audio
I/O Ports (Front)	USB 3.2 Gen 2 Type A	2
	USB 3.2 Gen 2 Type C	2
	Mic-in/Headphone-out combo	1



МОНОБЛОКИ

## Modern AM242P 12M

MODERN AM242P 12M-090RU

I/O Ports (Rear)	USB 2.0 Type A (R)	2
	RJ45	1
	HDMI™ out	1x (v2.0)
	HDMI™ in	1
Power	AC Adapter Output	120W
	Battery	N/A
	Battery Whrs	N/A
In The Box	Keyboard Interface	WIRELESS
	Mouse Interface	WIRELESS
	Power Cord	1
	AC Adaptor	1
	Warranty Card	N/A
	Quick Guide	1
	User Manual	1
	VESA Mount kit	N/A
	Keyboard	RF1430
	Mouse	MA04
Design	Adjustment (Tilt)	-4~20
	Adjustment (Swivel)	N/A
	Adjustment (Height)	0~130mm
	Adjustment (Pivot)	N/A
Dimension & Weight	Weight (Net kg)	6.16
	Weight (Gross kg)	8.45
	Product Dimension with Holder (WxDxH) (mm)	N/A
	Product Dimension with Holder (WxDxH) (inch)	N/A
	Inside Carton Dimension with Holder (WxDxH) (mm)	N/A
	Inside Carton Dimension with Holder (WxDxH) (inch)	N/A
	Inside Carton Dimension with Stand (WxDxH) (mm)	N/A
	Inside Carton Dimension with Stand (WxDxH) (inch)	N/A
Product Dimension with Stand (WxDxH)	Outer Carton Dimension with Holder (WxDxH) (mm)	N/A
	Product Dimension with Stand (WxDxH) (mm)	541.4 x 194.68 x 534.92
Warranty	Product Dimension with Stand (WxDxH) (inch)	21.31 x 7.66 x 21.06
	Warranty	12months
Regulatory Compliance	Operating, Storage Temperature	0° C ~ 35° C ; -20° C ~ 60° C
	Operating, Storage Humidity	0% ~ 85%;0% ~ 90%
	Regulatory Compliance	FCC(Class B), CB/CE, UL(CUL), BSMI, VCCI, RCM(C-Tick)
Barcode Info	EAN	4711377009911