

T-FORCE VULCAN DDR5 GAMING DESKTOP MEMORY

Primary functions and features

- Sleek Design
- Reinforced Structure for Better Cooling
- Supports Intel XMP3.0 for One-Click Overclocking
- Power Management ICs (PMICs) Equipped for Stable, Efficient Power Usage
- Strengthened PMIC Cooling Design
- On-die ECC for Stable Systems
- High-Quality ICs Selected for Stability & Reliability







Specifications

Module Type	DDR5 288 Pin N	DDR5 288 Pin Non-ECC Unbuffered DIMM							
Frequency	7000	6400	6400	6400	6400	6400	6400		
Capacity	16GB 2x16GB	16GB 2x16GB	16GB 2x16GB	16GB 2x16GB	32GB 2x32GB	32GB 2x32GB	2x16GB		
Latency	32-42-42-84	30-39-39-76	32-39-39-84	34-39-39-76	34-44-44-84	34-46-46-84	38-46-46-76		
Data Transfer Bandwidth	56,000 MB/s (PC5-56000)	51,200 MB/s (PC5-51200)	51,200 MB/s (PC5-51200)	51,200 MB/s (PC5-51200)	51,200 MB/s (PC5-51200)	51,200 MB/s (PC5-51200)	51,200 MB/s (PC5-51200)		
Voltage	1.4V	1.35V	1.35V	1.35V	1.35V	1.4V	1.25V		
Compatibility	Intel: 700 series	5		'	'				
Dimensions	32.7(H) x 140(L)) x 7.5(W)mm							
Heat Spreader	Aluminum heat	Aluminum heat-spreader							
Profile	8200 MHz↑ Intel XMP 3.0 8000 MHz↓ Intel XMP 3.0 / AMD EXPO								
Warranty	Lifetime warrar	nty							
Module Type		Ion-ECC Unbuffere							
Frequency	6400	6400	6000	6000	6000	6000	6000		
Capacity	2x16GB	8GB 16GB 2x8GB 2x16GB	16GB 2x16GB	16GB 2x16GB	16GB 2x16GB	16GB 2x16GB	32GB 2x32GB		
Latency	38-46-46-76	40-40-40-84	28-36-36-76	30-36-36-76	CL32-36-36-76	CL34-36-36-76	34-44-44-84		
Data Transfer Bandwidth	51,200 MB/s (PC5-51200)	51,200 MB/s (PC5-51200)	48,000 MB/s (PC5-48000)						
Voltage	1.35V	1.35V	1.4V	1.35V	1.35V	1.35V	1.35V		
Compatibility	Intel: 700 series	5			'		-		
Dimensions	32.7(H) x 140(L) x 7.5(W)mm							
Heat Sink	Aluminum heat	t-sink							
Profile	8200 MHz↑ Int 8000 MHz↓ Int	tel XMP 3.0 tel XMP 3.0 / AMD	EXPO						
Warranty	Lifetime warrar	nty							



Specifications

Module Type	DDR5 288 Pin Non-ECC Unbuffered DIMM							
Frequency	6000	6000	6000	6000	5600	5600	5600	
	8GB							
Comments	16GB	32GB	16GB	32GB	16GB	16GB	32GB	
Capacity	2x8GB	2x32GB	2x16GB	2x32GB	2x16GB	2x16GB	2x32GB	
	2x16GB							
Latency	38-38-38-78	38-38-38-78	38-46-46-76	38-46-46-76	32-36-36-76	36-36-36-76	36-36-36-76	
Data Transfer	48,000 MB/s	48,000 MB/s	48,000 MB/s	48,000 MB/s	44,800 MB/s	44,800 MB/s	44,800 MB/s	
Bandwidth	(PC5-48000)	(PC5-48000)	(PC5-48000)	(PC5-48000)	(PC5 44800)	(PC5 44800)	(PC5 44800)	
Voltage	1.25V	1.35V	1.25V	1.35V	1.2 V	1.2 V	1.3V	
Compatibility	Intel: 700 series	5						
Dimensions	32.7(H) x 140(L) x 7.5(W)mm						
Heat Sink	Aluminum heat	-sink						
Profile	8200 MHz↑ Intel XMP 3.0							
Profile	8000 MHz↓ Int	cel XMP 3.0 / AMD	EXPO					
Warranty	Lifetime warrar	nty						

Module Type	DDR5 288 Pin Non-ECC Unbuffe	red DIMM				
Frequency	5600	5600	5200			
		8GB				
	16GB	16GB	16GB			
Canacity	32GB	32GB	32GB			
Capacity	2x16GB	2x8GB	2x16GB			
	2x16GB	2x16GB	2x32GB			
		2x32GB				
Latency	38-46-46-76	40-40-40-84	40-40-40-76			
Data Transfer	44,800 MB/s	44,800 MB/s	41,600 MB/s			
Bandwidth	(PC5 44800)	(PC5 44800)	(PC5 41600)			
Voltage	1.2V	1.2 V	1.25 V			
Compatibility	Intel: 700 series	·				
Dimensions	32.7(H) x 140(L) x 7.5(W)mm					
Heat Sink	Aluminum heat-sink					
Profile	8200 MHz↑ Intel XMP 3.0 8000 MHz↓ Intel XMP 3.0 / AMD EXPO					
Warranty	Lifetime warranty	-				



T-FORCE is TEAM force. The red "T" on the logo of "TF" represents TEAMGROUP's passion for the storage products. The black "F" represents TEAMGROUP's over 18 years of promotion of storage products. The visual design of the perfect combination elegantly symbolizes a pair of flying wings.







Products from Team Group Inc. have been well received by the technology media around the globe and have won honors such as COMPUTEX dea awards, COMPUTEX Best Choice Award, GOOD DESIGN AWARD, Golden Pin Design Award, Taiwan Excellence Awards, if Design Award and Red Dot Award.

GLOBALIZATION

Team Group Inc. has built up a strong center in Taiwan for production, R&D, sales and customer service, and has over 300 global sales agents and 400 employees worldwide. Team Group Inc. uses differentiating sales strategies with a global vision and localized channel management to establish a closed distribution network.

GUARANTEED QUALITY & WARRANTY SERVICE

Team Group Inc. is well praised by the industry and customers by adhering to the corporate philosophy of "Integrity, Innovation, Professionalism, Efficiency, Discipline, and Simplicity." We offer faste repair and exchange services than others, guaranteeing a minimized delivery time for every global customer.

SOLID R&D CAPABILITIES











** The frequency and stability of the overclocking memory when automatic reading of the overclocking value (XMP or D.O.C.P) is turned on will vary depending on the difference between the motherboard and CPU. Check "Product Compatibility Inquiry" before purchase for further infohttps://www.teamgroupinc.com/en/support/compatibility.php

* We reserve the right to modify product specifications without prior notice.

** Before purchasing memory products, please refer to the QVL(Qualified Vendor List) compatibility list first of the motherboard.

** The quality of the CPU memory controller (IMC) and the version from the BIOS of motherboard may both potentially affect the operating frequency of the

*The overclocking memory with high frequency needs a more enhanced heat solution inside the case, to bring out better stability.

- **Before purchasing memory products, please refer to the QVL(Qualified Vendor List) compatibility list first of the motherboard.
- *The quality of the CPU memory controller (IMC) and the version from the BIOS of motherboard may both potentially affect the operating frequency of the

*The overclocking memory with high frequency needs a more enhanced heat solution inside the case, to bring out better stability.

**Do not mix memory modules of different capacities, frequencies, brands, or models. Each memory kit is paired through compatibility testing. Mixing different kits may cause system instability or failure to boot.

*Memory kits labeled "Support Intel XMP 3.0" only include XMP Profiles. Kits labeled "Support AMD EXPO" only include EXPO Profiles. Kits labeled "COMBINATION Intel XMP/AMD EXPO" include both XMP and EXPO Profiles.

*If the system fails to boot, reset the motherboard CMOS, enter BIOS with default frequency, and then enable the Profile to retry system boot.

**Failure to install and use the memory as per the official specifications, warnings, or operating instructions may result in the memory not operating at the speed indicated on the packaging, system instability, or damage to other hardware.

**For product-related or technical support issues, please contact our professional technical support team via email.



T-FORCE is TEAM force. The red "T" on the logo of "TF" represents TEAMGROUP' s passion for the storage products. The black "F" represents TEAMGROUP's over 18 years of promotion of storage products. The visual design of the perfect combination elegantly symbolizes a pair of flying wings







Products from Team Group Inc. have been well received by the technology media around the globe and have won honors such as COMPUTEX Best Choice Award, GOOD DESIGN AWARD. Golden Pin Design Award, Taiwan Excellence Awards, if Design Award and Red Dot Award.

GLOBALIZATION

Team Group Inc. has built up a strong center in Taiwan for production, R&D, sales and customer service, and has over 300 global sales agents and 400 employees worldwide. Team Group Inc. uses differentiating sales strategies with a global vision and localized channel management to establish a closed distribution network.

GUARANTEED QUALITY & WARRANTY SERVICE

Team Group Inc. is well praised by the industry and customers by adhering to the corporate philosophy of "Integrity, Innovation, Professionalisms, Efficiency, Discipline, and Simplicity." We offer faste repair and exchange services than others, guaranteeing a minimized delivery time for every global customer.

SOLID R&D CAPABILITIES












Ordering information

Color	Frequency	CAS Latency/Voltage	Capacity	IC Specifications	Team P/N
			8GB	x8	FLBD58G5200HC40C01
	DDR5-5200 (PC5-41600)	CL40-40-40-76 1.25V	16GB	x8	FLBD516G5200HC40C01
	(163 11666)		32GB	x8	FLBD532G5200HC40C01
		CL32-36-36-76 1.2V	16GB	x8	FLBD516G5600HC3201
		CL36-36-36-76 1.2V	16GB	x8	FLBD516G5600HC36B01
		CL36-36-36-76 1.3V	32GB	x8	FLBD532G5600HC36B01
	DDR5-5600		16GB	x8	FLBD516G5600HC38G01
	(PC5-44800)	CL38-46-46-76 1.2V	32GB	x8	FLBD532G5600HC38G01
		CL40-40-40-84 1.2V	8GB	x8	FLBD58G5600HC40B01
			16GB	x8	FLBD516G5600HC40B01
Black			32GB	x8	FLBD532G5600HC40B01
		CL28-36-36-76 1.4V	16GB	x8	FLBD516G6000HC28A01
		CL30-36-36-76 1.35V	16GB	x8	FLBD516G6000HC3001
		CL32-36-36-76 1.35V	16GB	х8	FLBD516G6000HC3201
		CL34-36-36-76 1.35V	16GB	х8	FLBD516G6000HC34C01
	DDR5-6000	CL34-44-44-84 1.35V	32GB	х8	FLBD532G6000HC34B01
	(PC5-48000)		8GB	x8	FLBD58G6000HC38A01
		CL38-38-38-78 1.25V	16GB	x8	FLBD516G6000HC38A01
		CL38-38-38-78 1.35V	32GB	x8	FLBD532G6000HC38A01
		CL38-46-46-76 1.25V	16GB	x8	FLBD516G6000HC38G01
		CL38-46-46-76 1.35V	32GB	x8	FLBD532G6000HC38G01











Products from Team Group Inc. have been well received by the technology media around the globe and have won honors such as COMPUTEX dea awards, COMPUTEX Best Choice Award, GOOD DESIGN AWARD, Golden Pin Design Award, Taiwan Excellence Awards, if Design Award and Red Dot Award.

GLOBALIZATION

Team Group Inc. has built up a strong center in Taiwan for production, R&D, sales and customer service, and has over 300 global sales agents and 400 employees worldwide Team Group Inc. uses differentiating sales strategies with a global vision and localized channel management to establish a closed distribution network.

GUARANTEED QUALITY & WARRANTY SERVICE

Team Group Inc. is well praised by the industry and customers by adhering to the corporate philosophy of "Integrity, Innovation, Professionalism, Efficiency, Discipline, and Simplicity." We offer faste repair and exchange services than others, guaranteeing a minimized delivery time for every global customer.

SOLID R&D CAPABILITIES








Color	Frequency	CAS Latency/Voltage	Capacity	IC Specifications	Team P/N
		CL30-39-39-76 1.35V	16GB	х8	FLBD516G6400HC30C01
		CL32-39-39-84 1.35V	16GB	х8	FLBD516G6400HC32A01
		CL34-39-39-76 1.35V	16GB	х8	FLBD516G6400HC34D01
	DDR5-6400 (PC5-51200)	CL34-44-44-84 1.35V	32GB	х8	FLBD532G6400HC34B01
Black	(/	CL34-46-46-84 1.4V	32GB	х8	FLBD532G6400HC34E01
		CL40.40.40.044.35V	8GB	х8	FLBD58G6400HC40B01
		CL40-40-40-84 1.35V	16GB	х8	FLBD516G6400HC40B01
	DDR5-7000	CL 22 42 42 94 1 4V	4605		FLBD516G7000HC32C01
	(PC5-56000)	CL32-42-42-84 1.4V	16GB	x8	FLBD310G7000HC32C01











GLOBALIZATION

Team Group Inc. has built up a strong center in Taiwan for production, R&D, sales and customer service, and has over 300 global sales agents and 400 employees workdwide. Team Group Inc. uses differentiating sales strategies with a global vision and localized channel management to establish a closed distribution network.

GUARANTEED QUALITY & WARRANTY SERVICE

Team Group Inc. is well praised by the industry and customers by adhering to the corporate philosophy of "Integrity, Innovation, Professionalism, Efficiency, Discipline, and Simplicity." We offer faste repair and exchange services than others, guaranteeing a minimized delivery time for every global customer.

SOLID R&D CAPABILITIES

With the best technical and manufacturing team, products from Team Group Inc. are made with innovation and strict quality control. Our memory technology has passed the ISO9001 and ISO14001 certifications, taking the lead in the memory industry with our latest overclocking memory modules.



3F., No.166, Jian 1st Rd., Zhonghe Dist., New Taipei City 23511, Taiwan Team Group Inc. Tel: +886-2-82265000 Fax: +886-2-82265808 mail: sales@teamgroup.com.tw / rma@teamgroup.com.tw









Color	Frequency	CAS Latency/Voltage	Capacity	IC Specifications	Team P/N
		8GB	x8	FLRD58G5200HC40C01	
	DDR5-5200 (PC5-41600)	CL40-40-40-76 1.25V	16GB	x8	FLRD516G5200HC40C01
			32GB	х8	FLRD532G5200HC40C01
		CL32-36-36-76 1.2V	16GB	х8	FLRD516G5600HC3201
		CL36-36-36-76 1.2V	16GB	x8	FLRD516G5600HC36B01
		CL36-36-36-76 1.3V	32GB	x8	FLRD532G5600HC36B01
	DDR5-5600	CL20 45 45 75 4 2V	16GB	x8	FLRD516G5600HC38G01
	(PC5-44800)	CL38-46-46-76 1.2V	32GB	x8	FLRD532G5600HC38G01
		CL40-40-40-84 1.2V	8GB	x8	FLRD58G5600HC40B01
			16GB	x8	FLRD516G5600HC40B01
RED			32GB	х8	FLRD532G5600HC40B01
		CL28-36-36-76 1.4V	16GB	x8	FLRD516G6000HC28A01
		CL30-36-36-76 1.35V	16GB	х8	FLRD516G6000HC3001
		CL32-36-36-76 1.35V	16GB	х8	FLRD516G6000HC3201
		CL34-36-36-76 1.35V	16GB	х8	FLRD516G6000HC34C01
	DDR5-6000	CL34-44-44-84 1.35V	32GB	х8	FLRD532G6000HC34B01
	(PC5-48000)	6120 20 20 70 4 25 4	8GB	х8	FLRD58G6000HC38A01
		CL38-38-38-78 1.25V	16GB	х8	FLRD516G6000HC38A01
		CL38-38-38-78 1.35V	32GB	x8	FLRD532G6000HC38A01
		CL38-46-46-76 1.25V	16GB	x8	FLRD516G6000HC38G01
		CL38-46-46-76 1.35V	32GB	x8	FLRD532G6000HC38G01











GLOBALIZATION

Team Group Inc. has built up a strong center in Taiwan for production, R&D, sales and customer service, and has over 300 global sales agents and 400 employees workdwide. Team Group Inc. uses differentiating sales strategies with a global vision and localized channel management to establish a closed distribution network.

GUARANTEED QUALITY & WARRANTY SERVICE

Team Group Inc. is well praised by the industry and customers by adhering to the corporate philosophy of "Integrity, Innovation, Professionalism, Efficiency, Discipline, and Simplicity." We offer faste repair and exchange services than others, guaranteeing a minimized delivery time for every global customer.

SOLID R&D CAPABILITIES

With the best technical and manufacturing team, products from Team Group Inc. are made with innovation and strict quality control. Our memory technology has passed the ISO9001 and ISO14001 certifications, taking the lead in the memory industry with our latest overclocking memory modules.



3F., No.166, Jian 1st Rd., Zhonghe Dist., New Taipei City 23511, Taiwan Team Group Inc. Tel: +886-2-82265000 Fax: +886-2-82265808 mail: sales@teamgroup.com.tw / rma@teamgroup.com.tw







Color	Frequency	CAS Latency/Voltage	Capacity	IC Specifications	Team P/N
		CL30-39-39-76 1.35V	16GB	х8	FLRD516G6400HC30C01
		CL32-39-39-84 1.35V	16GB	х8	FLRD516G6400HC32A01
		CL34-39-39-76 1.35V	16GB	х8	FLRD516G6400HC34D01
	DDR5-6400	CL34-44-44-84 1.35V	32GB	х8	FLRD532G6400HC34B01
	(PC5-51200)	CL34-46-46-84 1.4V	32GB	х8	FLRD532G6400HC34E01
		CL40 40 40 94 1 25V	8GB	х8	FLRD58G6400HC40B01
		CL40-40-40-84 1.35V	16GB	x8	FLRD516G6400HC40B01
	DDR5-7000 (PC5-56000)	CL32-42-42-84 1.4V	16GB	x8	FLRD516G7000HC32C01











GLOBALIZATION

Team Group Inc. has built up a strong center in Taiwan for production, R&D, sales and customer service, and has over 300 global sales agents and 400 employees worldwide. Team Group Inc. uses differentiating sales strategies with a global vision and localized channel management to establish a closed distribution network.

GUARANTEED QUALITY & WARRANTY SERVICE

Team Group Inc. is well praised by the industry and customers by adhering to the corporate philosophy of "Integrity, Innovation, Professionalism, Efficiency, Discipline, and Simplicity." We offer faster repair and exchange services than others, guaranteeing a minimized delivery time for every global customer.

SOLID R&D CAPABILITIES

With the best technical and manufacturing team, products from Team Group Inc. are made with innovation and strict quality control. Our memory technology has passed the ISO9001 and ISO14001 certifications, taking the lead in the memory industry with our latest overclocking memory modules.



3F., No.166, Jian 1st Rd., Zhonghe Dist., New Taipei City 23511, Taiwan Team Group Inc. Tel: +886-2-82265000 Fax: +886-2-82265808

Tel: +886-2-82265000 Fax: +886-2-82265808 mail: sales@teamgroup.com.tw / rma@teamgroup.com.tw



Ordering information

Color	Frequency	CAS Latency/Voltage	Capacity	IC Specifications	Team P/N
			2x8GB	x8	FLBD516G5200HC40CDC01
	DDR5-5200 (PC5-41600)	CL40-40-40-76 1.25V	2x16GB	x8	FLBD532G5200HC40CDC01
	(163 41000)		2x32GB	x8	FLBD564G5200HC40CDC01
		CL32-36-36-76 1.2V	2x16GB	x8	FLBD532G5600HC32DC01
		CL36-36-36-76 1.2V	2x16GB	x8	FLBD532G5600HC36BDC01
		CL36-36-36-76 1.3V	2x32GB	x8	FLBD564G5600HC36BDC01
	DDR5-5600	0.00 .0 .0 .0	2x16GB	x8	FLBD532G5600HC38GDC01
	(PC5-44800)	CL38-46-46-76 1.2V	2x32GB	x8	FLBD564G5600HC38GDC01
		CL40-40-40-84 1.2V	2x8GB	x8	FLBD516G5600HC40BDC01
			2x16GB	x8	FLBD532G5600HC40BDC01
Black			2x32GB	x8	FLBD564G5600HC40BDC01
		CL28-36-36-76 1.4V	2x16GB	x8	FLBD532G6000HC28ADC01
		CL30-36-36-76 1.35V	2x16GB	x8	FLBD532G6000HC30DC01
		CL32-36-36-76 1.35V	2x16GB	x8	FLBD532G6000HC32DC01
		CL34-36-36-76 1.35V	2x16GB	x8	FLBD532G6000HC34CDC01
	DDR5-6000	CL34-44-44-84 1.35V	2x32GB	x8	FLBD564G6000HC34BDC01
	(PC5-48000)	0100 00 00 70 10711	2x8GB	x8	FLBD516G6000HC38ADC01
		CL38-38-38-78 1.25V	2x16GB	x8	FLBD532G6000HC38ADC01
		CL38-38-38-78 1.35V	2x32GB	x8	FLBD564G6000HC38ADC01
		CL38-46-46-76 1.25V	2x16GB	x8	FLBD532G6000HC38GDC01
		CL38-46-46-76 1.35V	2x32GB	x8	FLBD564G6000HC38GDC01











Products from Team Group Inc. have been well received by the technology media around the globe and have won honors such as COMPUTEX dea awards, COMPUTEX Best Choice Award, GOOD DESIGN AWARD, Golden Pin Design Award, Taiwan Excellence Awards, if Design Award and Red Dot Award.

GLOBALIZATION

Team Group Inc. has built up a strong center in Taiwan for production, R&D, sales and customer service, and has over 300 global sales agents and 400 employees worldwide. Team Group Inc. uses differentiating sales strategies with a global vision and localized channel management to establish a closed distribution network.

GUARANTEED QUALITY & WARRANTY SERVICE

Team Group Inc. is well praised by the industry and customers by adhering to the corporate philosophy of "Integrity, Innovation, Professionalism, Efficiency, Discipline, and Simplicity." We offer faste repair and exchange services than others, guaranteeing a minimized delivery time for every global customer.

SOLID R&D CAPABILITIES











Color	Frequency	CAS Latency/Voltage	Capacity	IC Specifications	Team P/N
		CL30-39-39-76 1.35V	2x16GB	х8	FLBD532G6400HC30CDC01
		CL32-39-39-84 1.35V	2x16GB	х8	FLBD532G6400HC32ADC01
		CL34-39-39-76 1.35V	2x16GB	х8	FLBD532G6400HC34DDC01
		CL34-44-44-84 1.35V	2x32GB	х8	FLBD564G6400HC34BDC01
	DDR5-6400	CL34-46-46-84 1.4V	2x32GB	х8	FLBD564G6400HC34EDC01
Black	(PC5-51200)	CL38-46-46-76 1.25V	2x16GB	х8	FLBD532G6400HC38GDC01
		CL38-46-46-76 1.35V	2x16GB	х8	FLBD532G6400HC38GDC01
			2x8GB	х8	FLBD516G6400HC40BDC01
_		CL40-40-40-84 1.35V	2x16GB	x8	FLBD532G6400HC40BDC01
	DDR5-7000 (PC5-56000)	CL32-42-42-84 1.4V	2x16GB	x8	FLBD532G7000HC32CDC01











GLOBALIZATION


Team Group Inc. has built up a strong center in Taiwan for production, R&D, sales and customer service, and has over 300 global sales agents and 400 employees workdwide. Team Group Inc. uses differentiating sales strategies with a global vision and localized channel management to establish a closed distribution network.

GUARANTEED QUALITY & WARRANTY SERVICE

Team Group Inc. is well praised by the industry and customers by adhering to the corporate philosophy of "Integrity, Innovation, Professionalism, Efficiency, Discipline, and Simplicity." We offer faster repair and exchange services than others, guaranteeing a minimized delivery time for every global customer.
















Color	Frequency	CAS Latency/Voltage	Capacity	IC Specifications	Team P/N
			2x8GB	x8	FLRD516G5200HC40CDC01
	DDR5-5200 (PC5-41600)	CL40-40-40-76 1.25V	2x16GB	x8	FLRD532G5200HC40CDC01
			2x32GB	x8	FLRD564G5200HC40CDC01
		CL32-36-36-76 1.2V	2x16GB	x8	FLRD532G5600HC32DC01
		CL36-36-36-76 1.2V	2x16GB	x8	FLRD532G5600HC36BDC01
		CL36-36-36-76 1.3V	2x32GB	x8	FLRD564G5600HC36BDC01
	DDR5-5600	CL20. 45. 45. 75.4.2V	2x16GB	x8	FLRD532G5600HC38GDC01
	(PC5-44800)	CL38-46-46-76 1.2V	2x32GB	x8	FLRD564G5600HC38GDC01
		CL40-40-40-84 1.2V	2x8GB	x8	FLRD516G5600HC40BDC01
			2x16GB	x8	FLRD532G5600HC40BDC01
RED			2x32GB	x8	FLRD564G5600HC40BDC01
		CL28-36-36-76 1.4V	2x16GB	x8	FLRD532G6000HC28ADC01
		CL30-36-36-76 1.35V	2x16GB	x8	FLRD532G6000HC30DC01
		CL32-36-36-76 1.35V	2x16GB	x8	FLRD532G6000HC32DC01
		CL34-36-36-76 1.35V	2x16GB	x8	FLRD532G6000HC34CDC01
	DDR5-6000	CL34-44-44-84 1.35V	2x32GB	x8	FLRD564G6000HC34BDC01
	(PC5-48000)	0.0000	2x8GB	x8	FLRD516G6000HC38ADC01
		CL38-38-38-78 1.25V	2x16GB	x8	FLRD532G6000HC38ADC01
		CL38-38-38-78 1.35V	2x32GB	x8	FLRD564G6000HC38ADC01
		CL38-46-46-76 1.25V	2x16GB	x8	FLRD532G6000HC38GDC01
		CL38-46-46-76 1.35V	2x32GB	x8	FLRD564G6000HC38GDC01











${\sf GLOBALIZATION}$

Team Group Inc. has built up a strong center in Taiwan for production, R&D, sales and customer service, and has over 300 global sales agents and 400 employees worldwide Team Group Inc. uses differentiating sales strategies with a global vision and localized channel management to establish a closed distribution network.

GUARANTEED QUALITY & WARRANTY SERVICE

Team Group Inc. is well praised by the industry and customers by adhering to the corporate philosophy of "Integrity, Innovation, Professionalism, Efficiency, Discipline, and Simplicity." We offer faster repair and exchange services than others, guaranteeing a minimized delivery time for every global customer.

SOLID R&D CAPABILITIES








Color	Frequency	CAS Latency/Voltage	Capacity	IC Specifications	Team P/N
		CL30-39-39-76 1.35V	2x16GB	x8	FLRD532G6400HC30CDC01
		CL32-39-39-84 1.35V	2x16GB	x8	FLRD532G6400HC32ADC01
		CL34-39-39-76 1.35V	2x16GB	x8	FLRD532G6400HC34DDC01
		CL34-44-44-84 1.35V	2x32GB	x8	FLRD564G6400HC34BDC01
	DDR5-6400	CL38-46-46-76 1.25V	2x16GB	x8	FLRD532G6400HC38GDC01
RED	(PC5-51200) =	CL34-46-46-84 1.4V	2x32GB	x8	FLRD564G6400HC34EDC01
		CL38-46-46-76 1.35V	2x16GB	x8	FLRD532G6400HC38GDC01
			2x8GB	x8	FLRD516G6400HC40BDC01
		CL40-40-40-84 1.35V	2x16GB	x8	FLRD532G6400HC40BDC01
	DDR5-7000 (PC5-56000)	CL32-42-42-84 1.4V	2x16GB	x8	FLRD532G7000HC32CDC01











GLOBALIZATION

Team Group Inc. has built up a strong center in Taiwan for production, R&D, sales and customer service, and has over 300 global sales agents and 400 employees workdwide. Team Group Inc. uses differentiating sales strategies with a global vision and localized channel management to establish a closed distribution network.

GUARANTEED QUALITY & WARRANTY SERVICE

Team Group Inc. is well praised by the industry and customers by adhering to the corporate philosophy of "Integrity, Innovation, Professionalism, Efficiency, Discipline, and Simplicity." We offer faster repair and exchange services than others, guaranteeing a minimized delivery time for every global customer.

SOLID R&D CAPABILITIES

With the best technical and manufacturing team, products from Team Group Inc. are made with innovation and strict quality control. Our memory technology has passed the ISO9001 and ISO14001 certifications, taking the lead in the memory industry with our latest overclocking memory modules.



3F., No.166, Jian 1st Rd., Zhonghe Dist., New Taipei City 23511, Taiwan Team Group Inc. Tel: +886-2-82265000 Fax: +886-2-82265808 mail: sales@teamgroup.com.tw / rma@teamgroup.com.tw





